

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

## [ 399 ]

### Read December 21, 1769.

I.V. Eclipses of Jupiter's First Satellite, the Eclipse of the Moon, and Occultations of Fixed Stars by the Moon. Observed at the Royal Observatory at Greenwich, in the Year 1769. Communicated by the Astronomer Royal.

#### Apparent time.

1769	)		h	. 7	17	
March	29	Im.	12	25	Ż	with a 2 feet reflector of Short's constr.
April	12	lm.	16	16	8	with a 2 feet reflector of Bird's conftr.
April	28	Im.	14	35	$17\frac{1}{2}$	with a 2 feet reflector of Short's.
May	16	Em.	<b>19</b>	32	15	with a 2 feet reflector of Short's. with a 6 feet reflector of Short's.
June	8	Em.	· 9	31 40	56	with a 6 feet reflector of Short's.
	15	Em.		3 <b>5</b>		with a 2 feet reflector of Short's.  Air a little hazy.
July	I	Em.	9	50	24	with a 2 feet reflector of Short's.  Jupiter very clear.

#### ECLIPSE OF THE MOON.

Observed with a 3½ feet achromatic treble object glass telescope of Dollond, with least magnify ng power 30 times; and a 2 feet resector of Short's, with least magnifying power 60 times.

#### Apparent time.

1769	h	,	"	, h	,	17	
Dec. 12				16	57	9	Beginning of eclipse.
	17	3	3				The shadow first touches Kepler.
	17	3	33				bissects ditto.
	17	4	3	17	3	35	covers ditto.
							A

Apparent

## [ 400 ]

Apparent tin
--------------

			.L.				
1769	h	,	"	h	,	"	
Dec. 12	17	9	19				The shadow touches Pytheas.
	17	10	32	17	10	30	covers ditto.
	17	13	22				covers Timochares.
	17	15	54	17	15	1.8	covers Archimedes.
	17	ıб	56		_		touches Eratosthenes.
		18					covers ditto.
	17	20	1				bissects Copernicus.
	17	26	I	17	26	5	touches Mare Sereni- tatis.
	17	30	52				touches Manilius.
	17	32	58	17	33	20	covers ditto.
	17	35	17				touches Menelaus.
	17	36	17	17	37	5	covers ditto.
	17	39	42				touches Plinius.
	17	40	17	17	40	43	covers ditto.
				17	45	14	covers Dionyfius.
	17	53	9	17	53	38	covers a fpot between Plinius and Pro-
	18	6	5 <sup>2</sup>	18	6	55	mont. Sonnii.  bissects a black spot surrounded by a white circle in Terrâ Mannæ, lying in a leni joining Langrenus and Kepler.
							January Parame and Trobicie

The observations in the first column were made by myself, with the  $3\frac{1}{2}$  f. achromatic telescope; and the others by my assistant W. Bayley, with the 2 f. reslector.

# OCCULTATIONS OF FIXED STARS BY THE MOON.

Apparent time.

h / //

April 11 7 24 11 Em. of μ Geminorum, from the Moon's bright limb. Certain to 5 or 10 feconds, with Dollond's 3½ feet telescope.

May 9 8 14 49

lond's 3½ feet telescope.

Em. of ζ Geminorum, from the Moon's bright limb, with a 2 feet reflector. The true emerfion is supposed to have been about 5 feconds fooner.

## [ 401 ]

Mean time.

	ħ	,	"	
Sept. 15	8	1	43,3	im. of 16 Piscium, at D's bright limb, with 6 f. reflector, certain to 1".
	between 10			and 49",3 with 6 feet refl. ] im. 2d x Tauri
	between 10	22	50,3	and 51",3 with 2f. ref. by W.B. at D's bright l.
Sept. 20	10	28	19,6	
	11	I 2	28,2	em. of ist x Tauri, at D's dark limb, with 2 feet resector.
,	11	16	54,5	em. of 2d x Tauri, with both telef- copes exactly the same.
Sept, 25	17	24	14,6	im. b Leonis, at D's bright limb, with 6 feet refl.
•	17	24	12,6	ditto, with 2 f. reflector, by W. B.

The star was eclipsed to the north of the Moon's center, and the time seemed certain to less than a second, with both telescopes.

Nov. 18

14 39 3,7 im. of 2d a Cancri, at D's bright limb, with 2 f. refl. Uncertain to 10".

15 5 49,3 em. of ditto, at D's dark limb, infantaneous, and the same with both telescopes.